

L15Y548 WOOFER

DESCRIPTION

High power 15" woofer. Very good power handling, excellent linearity and very low distortion. Very efficient heat dissipation in ensured by a radiator that is part of the basket design. The air is forced in the radiator thanks to a dual sealed spider design.



FEATURES

- 3-inch, fiberglass inside/outside copper voice coil
- 1000W continuous program power handling
- 98 dB Sensitivity
- 40 Hz 2 kHz Frequency range
- Dual spider design with silicon based dampening control
- M-roll surround and exponential cone geometry



TECHNICAL SPECIFICATIONS

General specifications	Nominal Diameter:	15 inch / 381 mm
	Rated Impedance:	8 ohm
	Program Power (watt):	1000 W
	Power handling capacity:	500 W
	Sensitivity:	98.0 dB
	Frequency range:	40 - 2000 Hz
	Effective piston diameter:	330 mm / 12.99 inch
	Max. Excursion Before Damage:	36 mm / 1.42 inch
	Minimum Impedance (ohm):	6.8 ohm
	Voice Coil Diameter:	3.0 inch / 76 mm
	Voice Coil Winding Material:	Copper
	Voice Coil Length:	18 mm / 0.71 inch
	Number of layers:	2
	Kind of layers:	inside/outside
	Top Plate Thickness:	10 mm / 0.39 inch
	Cone Design:	Curved
	Surround Material:	Polycotton
	Surround Design:	M-roll
Thiele - small parameters	Resonance frequency (Fs):	50 Hz
	DC resistance (Re) (ohm):	5.60 ohm
	Mechanical factor:	9.70 Qms
	Electrical factor:	0.41 Qes
	Total factor:	0.39 Qts
	Bl factor (Bl) (T x m):	21.40 T x m
	Effective moving mass (Mms):	106.0 g
	Equivalent Cas air loaded (Vas):	100.0 liters
	Effective piston area (Sd):	0.090 m2
	Max. linear excursion (Xmax):	7 mm
	Voice coil inductance @ 1kHz (Le1k):	1.50 mH
	Half-space efficency (Eff):	2.94%
Mounting informations	Overall diameter:	387 mm / 15.24 inches
	Bolt circle diameter:	371-371 mm / 14.61-14.61 inch
	Bolt hole diameter:	7 mm / 0.28 inch
	Front mount baffle cut-out:	352 mm / 13.86 inch
	Rear mount baffle cut-out:	360 mm / 14.17 inch
	Volume occupied by the driver:	3.8 liters / 0.15 ft3
tandard compliance	CE marking:	Yes
ize	Weight:	8.8 kg / 19.4 lbs

DATASHEET



Shipping informations

Package Height: Package Width: Package Depth: Package Weight:

225 mm / 8.86 inches 435 mm / 17.13 inches 435 mm / 17.13 inches 10.2 kg / 22.49 lbs

PART NUMBER

· 11100131

L15Y548 8ohm