

# **LF15Y408**

# WOOOFER

#### **DESCRIPTION**

The LF15Y408 is a 15-inch woofer with linear frequency response cheracteristics and very high power handling.

The LF15Y408 uses a fibre loaded cone assembly along with a high excursion triple roll, constant geometry surround. This combination provides remarkable strength and a peak to peak maximum excursion of 52mm.



#### **FEATURES**

- 4-inch, fiberglass inside/outside copper voice coil
- 1600W continuous program power handling
- 97 dB Sensitivity
- 30 Hz 1.5 kHz Frequency range
- Dual spider design with silicon based dampening control
- Triple-roll surround and corrugated straight cone geometry

Rev. B Last update: 08/03/2022



### **TECHNICAL SPECIFICATIONS**

General specifications	Nominal Diameter:	15 inch / 381 mm				
	Rated Impedance:	8 ohm				
	Program Power (watt): Power handling capacity: Sensitivity: Effective piston diameter: Max. Excursion Before Damage: Minimum Impedance (ohm): Voice Coil Diameter: Voice Coil Winding Material: Voice Coil Length:	1600 W 800 W 97.0 dB 35 mm / 1.38 inch 1500 mm / 59.06 inch 6.1 ohm 4.0 inch / 102 mm Copper 23 mm / 0.91 inch 2 inside/outside 12 mm / 0.47 inch Straight Polycotton Triple roll				
			Number of layers:			
			Kind of layers: Top Plate Thickness: Cone Design: Surround Material: Surround Design:			
				Thiele - small parameters	Resonance frequency (Fs):	36 Hz
					DC resistance (Re) (ohm):	4.80 ohm
					Mechanical factor:	6.20 Qms
			Electrical factor:		0.27 Qes	
			Total factor:		0.26 Qts	
	BI factor (BI) (T x m):		24.60 T x m			
	Effective moving mass (Mms):		150.0 g			
	Equivalent Cas air loaded (Vas):		150.0 liters			
	Effective piston area (Sd):		0.090 m2			
	Max. linear excursion (Xmax):		9 mm			
	Voice coil inductance @ 1kHz (Le1k):		2.50 mH			
Half-space efficency (Eff):	2.50%					
Mounting informations	Overall diameter:	393 mm / 15.47 inches				
	Bolt circle diameter:	371-376 mm / 14.61-14.8 inch				
	Bolt hole diameter:	7 mm / 0.28 inch				
	Front mount baffle cut-out:	352 mm / 13.86 inch				
	Rear mount baffle cut-out:	360 mm / 14.17 inch				
	Volume occupied by the driver:	4.3 liters / 0.17 ft3				
Standard compliance	CE marking:	Yes				
Size	Weight:	13 kg / 28.66 lbs				
Shipping informations	Package Height:	220 mm / 8.66 inches				
	Package Width:	440 mm / 17.32 inches				
	Package Depth:	440 mm / 17.32 inches				
	Package Weight:	14 kg / 30.86 lbs				



## **PART NUMBER**

· 11100128

8ohm

LF15Y408









