

# **MB10G253**

MID - BASS

#### **DESCRIPTION**

The MB10G253 is designed to provide an excellent frequency response linearity with very low distortion. A strong magnetic structure guarantee dynamic and precision. M-roll surround and spider design offer great linearity and precise reproduction.



#### **FEATURES**

- 2.5-inch, fibreglass former, aluminum voice coil
- 600 Watt continuous program power handling
- 98.5 dB Sensitivity
- 55 Hz 3.0kHz Frequency range
- M-roll surround and exponential cone geometry

Rev. C Last update: 08/03/2022



## **TECHNICAL SPECIFICATIONS**

TECHNICAL SPECIFICATIONS		
General specifications	Nominal Diameter:	10 inch / 254 mm
	Rated Impedance:	8 ohm
	Program Power (watt):	600 W
	Power handling capacity:	300 W
	Sensitivity:	99.0 dB
	Frequency range:	55 - 3000 Hz
	Effective piston diameter:	210 mm / 8.27 inch
	Max. Excursion Before Damage:	40 mm / 1.57 inch
	Minimum Impedance (ohm):	6.0 ohm
	Voice Coil Diameter:	2.5 inch / 63 mm
	Voice Coil Winding Material:	Aluminium
	Voice Coil Length:	18 mm / 0.71 inch
	Number of layers:	2
	Kind of layers:	inside/outside
	Top Plate Thickness:	8 mm / 0.31 inch
	Cone Design:	Curved
	Surround Material:	Polycotton
	Surround Design:	M-roll
Thiele - small parameters	Resonance frequency (Fs):	76 Hz
	DC resistance (Re) (ohm):	5.20 ohm
	Mechanical factor:	8.00 Qms
	Electrical factor:	0.35 Qes
	Total factor:	0.34 Qts
	BI factor (BI) (T x m):	14.90 T x m
	Effective moving mass (Mms):	33.0 g
	Equivalent Cas air loaded (Vas):	24.0 liters
	Effective piston area (Sd):	0.040 m2
	Max. linear excursion (Xmax):	7 mm
	Voice coil inductance @ 1kHz (Le1k):	1.05 mH
	Half-space efficency (Eff):	2.71%
Mounting informations	Overall diameter:	260 mm / 10.24 inches
	Bolt circle diameter:	241-246 mm / 9.49-9.69 inch
	Bolt hole diameter:	6 mm / 0.24 inch
	Front mount baffle cut-out:	232 mm / 9.13 inch
	Rear mount baffle cut-out:	232 mm / 9.13 inch
	Volume occupied by the driver:	1.2 liters / 0.05 ft3
Standard compliance	CE marking:	Yes
Size	Weight:	4.9 kg / 10.8 lbs



**Shipping informations** Package Height: 810 mm / 31.89 inches

Package Width: 1055 mm / 41.54 inches
Package Depth: 855 mm / 33.66 inches

Package Weight: 4.9 kg / 10.8 lbs

### **PART NUMBER**

• 11100104

8ohm

MB10G253









