

MB12G301

MID-BASS

DESCRIPTION

High efficiency 12" mid-bass. Very high sensitivity, excellent linearity and very low distortion. Voice coil construction, suspensions and cone materials designed to survive at 400 Watt RMS power.



FEATURES

- 3-inch, fiberglass inside/outside copper voice coil
- 800W continuous program power handling
- 98 dB Sensitivity
- 50 Hz 3 kHz Frequency range
- M-roll surround and exponential cone geometry

Rev. B Last update: 08/03/2022



TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATION	•	
General specifications	Nominal Diameter:	12 inch / 305 mm
	Rated Impedance:	8 ohm
	Program Power (watt):	800 W
	Power handling capacity:	400 W
	Sensitivity:	98.0 dB
	Frequency range:	50 - 3000 Hz
	Effective piston diameter:	260 mm / 10.24 inch
	Max. Excursion Before Damage:	38 mm / 1.5 inch
	Minimum Impedance (ohm):	7.2 ohm
	Voice Coil Diameter:	3.0 inch / 76 mm
	Voice Coil Winding Material:	Aluminium
	Voice Coil Length:	16 mm / 0.63 inch
	Number of layers:	2
	Kind of layers:	inside/outside
	Top Plate Thickness:	4 mm / 0.16 inch
	Cone Design:	Curved
	Surround Material:	Polycotton
	Surround Design:	M-roll
	Magnets:	Ceramic
	Spider:	Single
		-
Thiele - small parameters	Resonance frequency (Fs):	53 Hz
	DC resistance (Re) (ohm):	5.40 ohm
	Mechanical factor:	4.70 Qms
	Electrical factor:	0.28 Qes
	Total factor:	0.27 Qts
	Bl factor (Bl) (T x m):	17.00 T x m
	Effective moving mass (Mms):	48.0 g
	Equivalent Cas air loaded (Vas):	72.0 liters
	Effective piston area (Sd):	0.050 m2
	Max. linear excursion (Xmax):	6 mm
	Voice coil inductance @ 1kHz (Le1k):	0.70 mH
	Half-space efficency (Eff):	3.69%
Mounting informations	Overall diameter:	320 mm / 12.6 inches
Piounting informations	Bolt circle diameter:	294-304 mm / 11.57-11.97 inch
	Bolt Circle diameter:	7 mm / 0.28 inch
	Front mount baffle cut-out:	282 mm / 11.1 inch
		284 mm / 11.18 inch
	Rear mount baffle cut-out:	
	Volume occupied by the driver:	2.6 liters / 0.1 ft3
Standard compliance	CE marking:	Yes
Size	Height:	146 mm / 5.75 inches
	Diameter:	320 mm / 12.6 inches
	Weight:	7 kg / 15.43 lbs
	Weight.	, ng / 15. 15 165



Shipping informations Package Height: 210 mm / 8.27 inches

Package Width: 360 mm / 14.17 inches
Package Depth: 360 mm / 14.17 inches

Package Weight: 8 kg / 17.64 lbs

PART NUMBER

· 11100017

MB12G301

8ohm







